

Table Relations

D:\DEV\CASE61XP\SAM34.TXD

<u>NomType</u> When Changed Restrict └─ NTY:NomType └─ NTY:NTyCode <> NOM:Type └─ No Link <> NOM:Code	ONE:MANY	<u>Nominal</u> When Deleted Restrict └─ NOM:NomTy └─ NOM:Type <> NTY:NTyCode └─ NOM:Code <> NTY:Code
<u>Nominal</u> When Changed No Action └─ NOM:Nominal └─ NOM:Code <> NBR:ConsolidateTo	ONE:MANY	<u>NomBranch</u> When Deleted No Action └─ NBR:KeyConsolidate └─ NBR:ConsolidateTo <> NOM:Code
<u>Nominal</u> When Changed Cascade └─ NOM:Nominal └─ NOM:Code <> CHE:BankCode	ONE:MANY	<u>CHENOS</u> When Deleted Restrict └─ CHE:KeyBankCode └─ CHE:BankCode <> NOM:Code
<u>NomTrans</u> When Changed No Action └─ NXN:BranchCode └─ NXN:Branch <> NBR:Branch └─ NXN:Code <> NBR:Code └─ NXN:Code <> No Link └─ NXN:Date <> No Link	MANY:ONE	<u>NomBranch</u> When Deleted No Action └─ NBR:BranchCode └─ NBR:Branch <> NXN:Branch └─ NBR:Code <> NXN:Code └─ NBR:Code <> NXN:Date └─ NBR:Date <> NXN:RecordId
<u>NomTrans</u> When Changed Restrict └─ NXN:NomTrans └─ NXN:Code <> NOM:Code └─ NXN:Code <> No Link └─ NXN:Date <> No Link	MANY:ONE	<u>Nominal</u> When Deleted Restrict └─ NOM:Nominal └─ NOM:Code <> NXN:Code └─ NOM:Code <> NXN:Date └─ NOM:Date <> NXN:RecordId
<u>Matters</u> When Changed No Action └─ MAT:MatterKey └─ MAT:Code <> SQLmat:Code	ONE:MANY	<u>SQLmatters</u> When Deleted No Action └─ SQLmat:PK_matters └─ SQLmat:Code <> MAT:Code
<u>Matters</u> When Changed No Action └─ MAT:MatterKey └─ MAT:Code <> TP_:Pos	ONE:MANY	<u>TagFilePos</u> When Deleted No Action Used as Lookup └─ TP_:Code <> MAT:Code
<u>Matters</u> When Changed No Action └─ MAT:BranchCode └─ MAT:Branch <> BRC:BranchCode └─ MAT:Branch <> No Link	MANY:ONE	<u>Branch</u> When Deleted No Action └─ BRC:KeyBranchCode └─ BRC:BranchCode <> MAT:Branch └─ BRC:Branch <> MAT:Code

<u>Matters</u>	MANY:ONE	<u>FileColour</u>
When Changed No Action MAT:KeyColour MAT:FileColour <> FCOL:ColourCode		When Deleted No Action FCOL:KeyCode FCOL:ColourCode <> MAT:FileColour
<u>Matters</u>	ONE:MANY	<u>RecentM</u>
When Changed Cascade MAT:MatterKey MAT:Code <> RML:Matter		When Deleted Cascade (Server) RML:KeyMatter RML:Matter <> MAT:Code
<u>Matters</u>	ONE:MANY	<u>PendingOutlay</u>
When Changed No Action MAT:MatterKey MAT:Code <> PNO:Matter No Link <> PNO:Date No Link <> PNO:RecordId		When Deleted No Action PNO:KeyMatter PNO:Matter <> MAT:Code PNO:Date <> MAT:Date PNO:RecordId <> MAT:RecordId
<u>Matters</u>	ONE:MANY	<u>Undertakings</u>
When Changed No Action MAT:MatterKey MAT:Code <> UND:Matter No Link <> UND:Seq No Link <> UND:Date No Link <> UND:RecordId		When Deleted No Action UND:KeyMatter UND:Matter <> MAT:Code UND:Seq <> MAT:Seq UND:Date <> MAT:Date UND:RecordId <> MAT:RecordId
<u>Matters</u>	MANY:ONE	<u>Contact3</u>
When Changed Cascade MAT:Matter3Party MAT:ThirdPart <> C3P:Code		When Deleted Restrict C3P:Contacts C3P:Code <> MAT:ThirdPart
<u>Matters</u>	MANY:ONE	<u>Contact3Sol</u>
When Changed Cascade MAT:MatterSolicitor MAT:ThPartSol <> C3S:Code MAT:ThPartSol <> No Link		When Deleted Restrict C3S:Contacts C3S:Code <> MAT:ThPartSol C3S:ThPartSol <> MAT:Code
<u>Matters</u>	MANY:ONE	<u>Wtype</u>
When Changed Cascade MAT:MatterWType MAT:WType <> WTY:Code MAT:WType <> No Link		When Deleted Restrict WTY:WType WTY:Code <> MAT:WType WTY:WType <> MAT:Code
<u>Matters</u>	MANY:ONE	<u>Contacts</u>
When Changed Restrict MAT:MatterClient MAT:ClientCode <> CNT:Code MAT:ClientCode <> No Link		When Deleted Restrict CNT:Contacts CNT:Code <> MAT:ClientCode CNT:ClientCode <> MAT:Code
<u>Matters</u>	MANY:ONE	<u>Fee</u>
When Changed Cascade MAT:MatterFe MAT:FECCode <> FEE:Code MAT:FECCode <> No Link		When Deleted Restrict FEE:Fee FEE:Code <> MAT:FECCode FEE:FECCode <> MAT:Code

<u>Matters</u>	MANY:ONE	<u>Dept</u>
When Changed Restrict MAT:MatterDept MAT:Dept <> DEP:Code MAT:Dept <> No Link		When Deleted Restrict DEP:Dept DEP:Code <> MAT:Dept DEP:Dept <> MAT:Code
<u>Supply</u>	MANY:ONE	<u>Nominal</u>
When Changed Restrict SUP:SupNom SUP:Nominal <> NOM:Code		When Deleted Restrict NOM:Nominal NOM:Code <> SUP:Nominal
<u>MatLed</u>	MANY:ONE	<u>Contacts</u>
When Changed No Action MAL:MatLedC MAL:Client <> CNT:Code MAL:Client <> No Link MAL:Date <> No Link		When Deleted No Action CNT:Contacts CNT:Code <> MAL:Client CNT:Client <> MAL:Date CNT:Date <> MAL:LRef
<u>MatLed</u>	MANY:ONE	<u>Matters</u>
When Changed No Action MAL:MatLed MAL:Matter <> MAT:Code MAL:Matter <> No Link MAL:Date <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> MAL:Matter MAT:Matter <> MAL:Date MAT:Date <> MAL:LRef
<u>SupLed</u>	MANY:ONE	<u>Supply</u>
When Changed Restrict SUL:SupLed SUL:Supp <> SUP:Code SUL:Supp <> No Link SUL:Date <> No Link		When Deleted Restrict SUP:Supply SUP:Code <> SUL:Supp SUP:Supp <> SUL:Date SUP:Date <> SUL:RecordId
<u>SupLed</u>	MANY:ONE	<u>BatchH</u>
When Changed Restrict SUL:SupLedB SUL:BatchNo <> BAH:BatchNo SUL:BatchNo <> No Link		When Deleted Restrict BAH:BatchH BAH:BatchNo <> SUL:BatchNo BAH:BatchNo <> SUL:PRef
<u>BatchH</u>	ONE:MANY	<u>MatLed</u>
When Changed Restrict BAH:BatchH BAH:BatchNo <> MAL:BatchNo No Link <> MAL:PRef No Link <> MAL:LRef		When Deleted Restrict MAL:MatterBat MAL:BatchNo <> BAH:BatchNo MAL:PRef <> BAH:PRef MAL:LRef <> BAH:LRef
<u>BatchH</u>	ONE:MANY	<u>NomTrans</u>
When Changed Restrict BAH:BatchH BAH:BatchNo <> NXN:BatchNo No Link <> NXN:PRef No Link <> NXN:RecordId		When Deleted Restrict NXN:NomBatch NXN:BatchNo <> BAH:BatchNo NXN:PRef <> BAH:PRef NXN:RecordId <> BAH:RecordId

<u>BatchH</u>	MANY:ONE	<u>Matters</u>
When Changed No Action BAH:BHMatter BAH:Matter <> MAT:Code		When Deleted No Action MAT:MatterKey MAT:Code <> BAH:Matter
<u>BatchH</u>	MANY:ONE	<u>Supply</u>
When Changed No Action BAH:BHSupp BAH:Supp <> SUP:Code		When Deleted No Action SUP:Supply SUP:Code <> BAH:Supp
<u>BatchH</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action BAH:BHNom BAH:Code <> NOM:Code		When Deleted No Action NOM:Nominal NOM:Code <> BAH:Code
<u>BatchH</u>	ONE:MANY	<u>BatchD</u>
When Changed Restrict BAH:BatchH BAH:BatchNo <> BAD:BatchNo No Link <> BAD:PRef		When Deleted Cascade BAD:BDBatchNo BAD:BatchNo <> BAH:BatchNo BAD:PRef <> BAH:PRef
<u>BatchD</u>	MANY:ONE	<u>OutlayCode</u>
When Changed Cascade BAD:BADOutlayCode BAD:OutlayCode <> OUT:Code BAD:OutlayCode <> No Link		When Deleted Restrict OUT:KeyCode OUT:Code <> BAD:OutlayCode OUT:OutlayCode <> BAD:Keyld
<u>BatchD</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action BAD:BDNom BAD:Code <> NOM:Code BAD:Code <> No Link		When Deleted No Action NOM:Nominal NOM:Code <> BAD:Code NOM:Code <> BAD:Keyld
<u>BatchD</u>	MANY:ONE	<u>Matters</u>
When Changed No Action BAD:BDMatter BAD:Matter <> MAT:Code BAD:Matter <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> BAD:Matter MAT:Matter <> BAD:Keyld
<u>BatchD</u>	MANY:ONE	<u>Supply</u>
When Changed No Action BAD:BDSupp BAD:Supp <> SUP:Code BAD:Supp <> No Link		When Deleted No Action SUP:Supply SUP:Code <> BAD:Supp SUP:Supp <> BAD:Keyld
<u>Contacts</u>	ONE:MANY	<u>SQLContacts</u>
When Changed No Action CNT:Contacts CNT:Code <> SQLCNT:Code		When Deleted No Action SQLCNT:PK_Contacts SQLCNT:Code <> CNT:Code
<u>Contacts</u>	MANY:ONE	<u>Fee</u>
When Changed Restrict CNT:ContactFee CNT:FE <> FEE:Code		When Deleted Restrict FEE:Fee FEE:Code <> CNT:FE

└ CNT:FE <> No Link

└ FEE:FE <> CNT:Code

Contacts

ONE:MANY

Clinks

- └ When Changed Restrict
- └ CNT:Contacts
- └ CNT:Code <> CLI:ContactA
- └ No Link <> CLI:ContactB

- └ When Deleted Restrict
- └ CLI:CLinkA
- └ CLI:ContactA <> CNT:Code
- └ CLI:ContactB <> CNT:ContactB

Contacts

ONE:MANY

ConCat

- └ When Changed Restrict
- └ CNT:Contacts
- └ CNT:Code <> COC:Contact
- └ No Link <> COC:CategoryType
- └ No Link <> COC:Category

- └ When Deleted Restrict
- └ COC:ConCat
- └ COC:Contact <> CNT:Code
- └ COC:CategoryType <> CNT:CategoryType
- └ COC:Category <> CNT:Category

Category

ONE:MANY

ConCat

- └ When Changed Cascade
- └ CAT:Category
- └ CAT:CatType <> COC:CategoryType
- └ CAT:Code <> COC:Category
- └ No Link <> COC:Contact

- └ When Deleted Restrict
- └ COC:CatCon
- └ COC:CategoryType <> CAT:CatType
- └ COC:Category <> CAT:Code
- └ COC:Contact <> CAT:Contact

ConCat

MANY:ONE

CCcontacts

- └ When Changed No Action
- └ COC:ConCat
- └ COC:Contact <> CON1:Code
- └ COC:Contact <> No Link
- └ COC:CategoryType <> No Link

- └ When Deleted No Action
- └ CON1:Contacts
- └ CON1:Code <> COC:Contact
- └ CON1:Contact <> COC:CategoryType
- └ CON1:CategoryType <> COC:Category

ConCat

MANY:ONE

ExtContact

- └ When Changed No Action
- └ COC:ConCat
- └ COC:Contact <> EXT:Code
- └ COC:Contact <> No Link
- └ COC:CategoryType <> No Link

- └ When Deleted No Action
- └ EXT:Contacts
- └ EXT:Code <> COC:Contact
- └ EXT:Contact <> COC:CategoryType
- └ EXT:CategoryType <> COC:Category

ConCat

MANY:ONE

Contact3

- └ When Changed Restrict
- └ COC:ConCat
- └ COC:Contact <> C3P:Code
- └ COC:Contact <> No Link
- └ COC:CategoryType <> No Link

- └ When Deleted Restrict
- └ C3P:Contacts
- └ C3P:Code <> COC:Contact
- └ C3P:Contact <> COC:CategoryType
- └ C3P:CategoryType <> COC:Category

ConCat

MANY:ONE

Contact3Sol

- └ When Changed Restrict
- └ COC:ConCat
- └ COC:Contact <> C3S:Code
- └ COC:Contact <> No Link
- └ COC:CategoryType <> No Link

- └ When Deleted Restrict
- └ C3S:Contacts
- └ C3S:Code <> COC:Contact
- └ C3S:Contact <> COC:CategoryType
- └ C3S:CategoryType <> COC:Category

ContactA

ONE:MANY

Clinks

- └ When Changed Restrict
- └ COA:Contacts

- └ When Deleted Restrict
- └ CLI:CLinkB

└ COA:Code <> CLI:ContactB
└ No Link <> CLI:ContactA

└ CLI:ContactB <> COA:Code
└ CLI:ContactA <> COA:ContactA

DebtLed

MANY:ONE

Contacts

└ When Changed No Action
└ DEB:DebtClient
└ DEB:Client <> CNT:Code
└ DEB:Client <> No Link
└ DEB:Date <> No Link

└ When Deleted No Action
└ CNT:Contacts
└ CNT:Code <> DEB:Client
└ CNT:Client <> DEB:Date
└ CNT:Date <> DEB:RecordId

DebtLed

MANY:ONE

BatchH

└ When Changed Restrict
└ DEB:DebtBat
└ DEB:BatchNo <> BAH:BatchNo
└ DEB:BatchNo <> No Link
└ DEB:PRef <> No Link

└ When Deleted Cascade
└ BAH:BatchH
└ BAH:BatchNo <> DEB:BatchNo
└ BAH:BatchNo <> DEB:PRef
└ BAH:PRef <> DEB:RecordId

DebtLed

MANY:ONE

Matters

└ When Changed No Action
└ DEB:DebtMat
└ DEB:Matter <> MAT:Code
└ DEB:Matter <> No Link
└ DEB:Date <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> DEB:Matter
└ MAT:Matter <> DEB:Date
└ MAT:Date <> DEB:RecordId

Allocs

MANY:ONE

SupLed

└ When Changed Restrict
└ ALL:AllocFro
└ ALL:BatchNo <> SUL:BatchNo
└ ALL:PRef <> SUL:PRef
└ ALL:PRef <> No Link

└ When Deleted Cascade
└ SUL:SupLedB
└ SUL:BatchNo <> ALL:BatchNo
└ SUL:PRef <> ALL:PRef
└ SUL:PRef <> ALL:KeyId

Allocs

MANY:ONE

BatchD

└ When Changed Restrict
└ ALL:AllocFro
└ ALL:BatchNo <> BAD:BatchNo
└ ALL:PRef <> BAD:PRef
└ No Link <> No Link

└ When Deleted Cascade
└ BAD:BDNo
└ BAD:BatchNo <> ALL:BatchNo
└ BAD:PRef <> ALL:PRef
└ BAD:KeyId <> ALL:KeyId

Allocs

MANY:ONE

DebtLed

└ When Changed Restrict
└ ALL:AllocFro
└ ALL:BatchNo <> DEB:BatchNo
└ ALL:PRef <> DEB:PRef
└ No Link <> No Link

└ When Deleted Cascade
└ DEB:DebtBat
└ DEB:BatchNo <> ALL:BatchNo
└ DEB:PRef <> ALL:PRef
└ DEB:RecordId <> ALL:KeyId

DebtLedA

MANY:ONE

Matters

└ When Changed No Action
└ DL1:DebtMat
└ DL1:Matter <> MAT:Code
└ DL1:Matter <> No Link
└ DL1:Date <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> DL1:Matter
└ MAT:Matter <> DL1:Date
└ MAT:Date <> DL1:RecordId

<u>SupLedA</u>	MANY:ONE	<u>Supply</u>
- When Changed Restrict - SL1:SupLed - SL1:Supp <> SUP:Code - SL1:Supp <> No Link - SL1:Date <> No Link		- When Deleted Cascade - SUP:Supply - SUP:Code <> SL1:Supp - SUP:Supp <> SL1:Date - SUP:Date <> SL1:RecordId
<u>NomRep</u>	ONE:MANY	<u>Nominal</u>
- When Changed Cascade - NRP:NomRep - NRP:PB <> NOM:PB - NRP:Code <> NOM:Seq - No Link <> NOM:Code		- When Deleted Restrict - NOM:NomSeq - NOM:PB <> NRP:PB - NOM:Seq <> NRP:Code - NOM:Code <> NRP:Code
<u>Closed</u>	MANY:ONE	<u>Contact3</u>
- When Changed Cascade - CLM:CMatter3Party - CLM:ThirdPart <> C3P:Code - CLM:ThirdPart <> No Link - CLM:ClientCode <> No Link		- When Deleted Restrict - C3P:Contacts - C3P:Code <> CLM:ThirdPart - C3P:ThirdPart <> CLM:ClientCode - C3P:ClientCode <> CLM:Matter
<u>Closed</u>	MANY:ONE	<u>Contact3Sol</u>
- When Changed Cascade - CLM:CMatter3PartSol - CLM:ThPartSol <> C3S:Code - CLM:ThPartSol <> No Link - CLM:ClientCode <> No Link		- When Deleted Restrict - C3S:Contacts - C3S:Code <> CLM:ThPartSol - C3S:ThPartSol <> CLM:ClientCode - C3S:ClientCode <> CLM:Matter
<u>Closed</u>	MANY:ONE	<u>Wtype</u>
- When Changed Cascade - CLM:CMatterWType - CLM:WType <> WTY:Code - CLM:WType <> No Link - CLM:ClientCode <> No Link		- When Deleted Restrict - WTY:WType - WTY:Code <> CLM:WType - WTY:WType <> CLM:ClientCode - WTY:ClientCode <> CLM:Matter
<u>Closed</u>	ONE:MANY	<u>ClosedLed</u>
- When Changed No Action - CLM:CMatterKey - CLM:Code <> MLC:Matter - CLM:FileNum <> MLC:FileNum - No Link <> MLC:Date - No Link <> MLC:RecordId		- When Deleted No Action - MLC:MatLed - MLC:Matter <> CLM:Code - MLC:FileNum <> CLM:FileNum - MLC:Date <> CLM:Date - MLC:RecordId <> CLM:RecordId
<u>Closed</u>	MANY:ONE	<u>Contacts</u>
- When Changed Restrict - CLM:CMatterClient - CLM:ClientCode <> CNT:Code		- When Deleted No Action - CNT:Contacts - CNT:Code <> CLM:ClientCode
<u>Closed</u>	MANY:ONE	<u>Fee</u>
- When Changed Cascade - CLM:CMatterFe - CLM:FEECode <> FEE:Code		- When Deleted Restrict - FEE:Fee - FEE:Code <> CLM:FEECode

└ CLM:FECODE <> No Link
└ CLM:ClientCode <> No Link

└ FEE:FECODE <> CLM:ClientCode
└ FEE:ClientCode <> CLM:Matter

Closed

MANY:ONE

Dept

└ When Changed Cascade
└ CLM:CMatterDept
└ CLM:Dept <> DEP:Code
└ CLM:Dept <> No Link
└ CLM:ClientCode <> No Link

└ When Deleted Restrict
└ DEP:Dept
└ DEP:Code <> CLM:Dept
└ DEP:Dept <> CLM:ClientCode
└ DEP:ClientCode <> CLM:Matter

Wills

MANY:ONE

Location

└ When Changed Cascade
└ WIL:KeyLocation
└ WIL:Location <> LOC:CODE
└ WIL:Location <> No Link

└ When Deleted Restrict
└ LOC:KEYCODE
└ LOC:CODE <> WIL:Location
└ LOC:Location <> WIL:RecordID

Wills

MANY:ONE

Contacts

└ When Changed No Action
└ WIL:KeyContact
└ WIL:Contact <> CNT:Code
└ WIL:Contact <> No Link

└ When Deleted No Action
└ CNT:Contacts
└ CNT:Code <> WIL:Contact
└ CNT:Contact <> WIL:RecordID

Deeds

MANY:ONE

Location

└ When Changed Cascade
└ DEE:KeyLocation
└ DEE:Location <> LOC:CODE

└ When Deleted Restrict
└ LOC:KEYCODE
└ LOC:CODE <> DEE:Location

Deeds

MANY:ONE

Contacts

└ When Changed No Action
└ DEE:KeyContact
└ DEE:Contact <> CNT:Code

└ When Deleted No Action
└ CNT:Contacts
└ CNT:Code <> DEE:Contact

Officers

MANY:ONE

Contacts

└ When Changed No Action
└ OFF:KeyContactCode
└ OFF:ContactCode <> CNT:Code
└ OFF:ContactCode <> No Link

└ When Deleted No Action
└ CNT:Contacts
└ CNT:Code <> OFF:ContactCode
└ CNT:ContactCode <> OFF:RecordID

Officers

MANY:ONE

OfficerContacts

└ When Changed No Action
└ OFF:KeyOfficer
└ OFF:ContactOfficer <> OFC:Code

└ When Deleted No Action
└ OFC:Contacts
└ OFC:Code <> OFF:ContactOfficer

Solicitors

ONE:MANY

ConCat

└ When Changed Cascade
└ SOL:Contacts
└ SOL:Code <> COC:Contact
└ No Link <> COC:CategoryType
└ No Link <> COC:Category

└ When Deleted Restrict
└ COC:ConCat
└ COC:Contact <> SOL:Code
└ COC:CategoryType <> SOL:CategoryType
└ COC:Category <> SOL:Category

Children

MANY:ONE

Contacts

└ When Changed Cascade
└ CHI:KeyContact
└ CHI:Contact <> CNT:Code

└ When Deleted Cascade
└ CNT:Contacts
└ CNT:Code <> CHI:Contact

<u>ContHistory</u>	MANY:ONE	<u>Contacts</u>
- When Changed Cascade - COH:KeyContact - COH:Contact <> CNT:Code - COH:Contact <> No Link		- When Deleted Cascade - CNT:Contacts - CNT:Code <> COH:Contact - CNT:Contact <> COH:Date
<u>Items</u>	MANY:ONE	<u>CCcontacts</u>
- When Changed No Action - ITE:KEYCLIENT - ITE:CLIENTCODE <> CON1:Code		- When Deleted No Action - CON1:Contacts - CON1:Code <> ITE:CLIENTCODE
<u>Items</u>	ONE:MANY	<u>ItemDiary</u>
- When Changed No Action - ITE:KEYFileNo - ITE:Number <> ITD:Number - ITE:ITEMCODE <> ITD:ItemCode - No Link <> ITD:Date - No Link <> ITD:RecordId		- When Deleted No Action - ITD:KeyItemCode - ITD:Number <> ITE:Number - ITD:ItemCode <> ITE:ITEMCODE - ITD:Date <> ITE:Date - ITD:RecordId <> ITE:RecordId
<u>Items</u>	ONE:MANY	<u>ItemHistory</u>
- When Changed Cascade - ITE:KEYFileNo - ITE:Number <> ITH:Number - ITE:ITEMCODE <> ITH:ITEMCODE - No Link <> ITH:OUTDATE - No Link <> ITH:OUTTIME		- When Deleted Cascade - ITH:KEYITEMCODE - ITH:Number <> ITE:Number - ITH:ITEMCODE <> ITE:ITEMCODE - ITH:OUTDATE <> ITE:OUTDATE - ITH:OUTTIME <> ITE:OUTTIME
<u>Items</u>	MANY:ONE	<u>Contacts</u>
- When Changed No Action - ITE:KEYCLIENT - ITE:CLIENTCODE <> CNT:Code		- When Deleted No Action - CNT:Contacts - CNT:Code <> ITE:CLIENTCODE
<u>Items</u>	MANY:ONE	<u>Matters</u>
- When Changed No Action - ITE:KEYMATTER - ITE:MATTERCODE <> MAT:Code		- When Deleted No Action - MAT:MatterKey - MAT:Code <> ITE:MATTERCODE
<u>Items</u>	MANY:ONE	<u>ItemType</u>
- When Changed Cascade - ITE:KEYType - ITE:ITEMTYPE <> ITT:TYPECODE - ITE:ITEMTYPE <> No Link - ITE:CLIENTCODE <> No Link		- When Deleted Restrict - ITT:KEYTYPECODE - ITT:TYPECODE <> ITE:ITEMTYPE - ITT:ITEMTYPE <> ITE:CLIENTCODE - ITT:CLIENTCODE <> ITE:MATTERCODE
<u>Items</u>	MANY:ONE	<u>Location</u>
- When Changed Cascade - ITE:KEYLOCATION - ITE:LOCATION <> LOC:CODE - ITE:LOCATION <> No Link - ITE:ITEMTYPE <> No Link - ITE:CLIENTCODE <> No Link		- When Deleted Restrict - LOC:KEYCODE - LOC:CODE <> ITE:LOCATION - LOC:LOCATION <> ITE:ITEMTYPE - LOC:ITEMTYPE <> ITE:CLIENTCODE - LOC:CLIENTCODE <> ITE:MATTERCODE

<u>Cheques</u>	MANY:ONE	<u>BatchH</u>
When Changed No Action CHQ:KeyBatch CHQ:BatchNo <> BAH:BatchNo		When Deleted No Action BAH:BatchH BAH:BatchNo <> CHQ:BatchNo
<u>Cheques</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action CHQ:KeyBank CHQ:Bank <> NOM:Code CHQ:Bank <> No Link		When Deleted No Action NOM:Nominal NOM:Code <> CHQ:Bank NOM:Bank <> CHQ:Date
<u>RecHistory</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action REH:KeyBankAc REH:BankAc <> NOM:Code REH:BankAc <> No Link		When Deleted No Action NOM:Nominal NOM:Code <> REH:BankAc NOM:BankAc <> REH:RecNo
<u>RecHistory</u>	ONE:MANY	<u>RecOsTrans</u>
When Changed No Action REH:KeyBankAc REH:BankAc <> REC:BankAc REH:RecNo <> REC:RecNo No Link <> REC:RecordId		When Deleted No Action REC:KeyBankAc REC:BankAc <> REH:BankAc REC:RecNo <> REH:RecNo REC:RecordId <> REH:RecordId
<u>RecHistory</u>	ONE:MANY	<u>RecTrans</u>
When Changed Cascade REH:KeyBankAc REH:BankAc <> RET:BankAc REH:RecNo <> RET:RecNo No Link <> RET:Type No Link <> RET:Ref No Link <> RET:RecordId		When Deleted Restrict RET:KeyBankAc RET:BankAc <> REH:BankAc RET:RecNo <> REH:RecNo RET:Type <> REH:Type RET:Ref <> REH:Ref RET:RecordId <> REH:RecordId
<u>RecTrans</u>	MANY:ONE	<u>RecHistDate</u>
When Changed No Action RET:KeyBankDate RET:BankAc <> RHD:BankAc RET:RecNo <> RHD:RecNo RET:RecNo <> No Link RET:Type <> No Link RET:Date <> No Link		When Deleted No Action RHD:KeyBankAc RHD:BankAc <> RET:BankAc RHD:RecNo <> RET:RecNo RHD:RecNo <> RET:Type RHD:Type <> RET:Date RHD:Date <> RET:RecordId
<u>RecTrans</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action RET:KeyBankAc RET:BankAc <> NOM:Code RET:BankAc <> No Link RET:RecNo <> No Link RET:Type <> No Link RET:Ref <> No Link		When Deleted No Action NOM:Nominal NOM:Code <> RET:BankAc NOM:BankAc <> RET:RecNo NOM:RecNo <> RET:Type NOM:Type <> RET:Ref NOM:Ref <> RET:RecordId

<u>HANDLER</u>	ONE:MANY	<u>TagFilePos</u>
When Changed No Action HAN:FeeEarn HAN:RecordId <> TP_:Pos		When Deleted No Action Used as Lookup TP_:RecordId <> HAN:Code
<u>HANDLER</u>	ONE:MANY	<u>ItemHistory</u>
When Changed No Action HAN:FeeEarn HAN:Code <> ITH:Handler		When Deleted No Action ITH:KeyHandler ITH:Handler <> HAN:Code
<u>HANDLER</u>	ONE:MANY	<u>L Diary</u>
When Changed Cascade HAN:FeeEarn HAN:Code <> Dia:FnCode No Link <> Dia:Date No Link <> Dia:ActionId		When Deleted Restrict Dia:KeyFeeEaner Dia:FnCode <> HAN:Code Dia:Date <> HAN:Date Dia:ActionId <> HAN:ActionId
<u>HANDLER</u>	ONE:MANY	<u>TeamMemb</u>
When Changed No Action HAN:FeeEarn HAN:Code <> TME:TeamCode No Link <> TME:Handler		When Deleted No Action TME:KeyTeamCode TME:TeamCode <> HAN:Code TME:Handler <> HAN:Handler
<u>HANDLER</u>	ONE:MANY	<u>RecentM</u>
When Changed Cascade HAN:FeeEarn HAN:Code <> RML:Fee No Link <> RML:DateField		When Deleted Cascade RML:KeyFeeDate RML:Fee <> HAN:Code RML:DateField <> HAN:DateField
<u>FIELD</u>	ONE:MANY	<u>L UDF</u>
When Changed Cascade FIE:KeyFile FIE:FILE <> UDF:FilePrefix FIE:F_NAME <> UDF:FieldName		When Deleted Restrict UDF:KeyFile UDF:FilePrefix <> FIE:FILE UDF:FieldName <> FIE:F_NAME
<u>FILESS3</u>	ONE:MANY	<u>L UDF</u>
When Changed Cascade FIL:KeyPrefex FIL:PREFIX <> UDF:FilePrefix No Link <> UDF:FieldName		When Deleted Restrict UDF:KeyFile UDF:FilePrefix <> FIL:PREFIX UDF:FieldName <> FIL:FieldName
<u>CatType</u>	ONE:MANY	<u>Category</u>
When Changed Cascade CTT:KeyCategoryType CTT:CategoryType <> CAT:CatType No Link <> CAT:Code		When Deleted Restrict CAT:Category CAT:CatType <> CTT:CategoryType CAT:Code <> CTT:Code
<u>Phones</u>	MANY:ONE	<u>Contacts</u>
When Changed No Action PHO:KeyContact PHO:Contact <> CNT:Code PHO:Contact <> No Link		When Deleted No Action CNT:Contacts CNT:Code <> PHO:Contact CNT:Contact <> PHO:Phone

<u>MBatchH</u>	ONE:MANY	<u>MBatchD</u>
When Changed No Action MAH:MBatchH MAH:MCode <> MAD:MCode		When Deleted No Action MAD:BDNo MAD:MCode <> MAH:MCode
<u>RequisitionHead</u>	MANY:ONE	<u>Fee</u>
When Changed No Action REQ:KeyFeeearn REQ:FeeEarner <> FEE:Code REQ:FeeEarner <> No Link		When Deleted No Action FEE:Fee FEE:Code <> REQ:FeeEarner FEE:FeeEarner <> REQ:Date
<u>RequisitionHead</u>	ONE:MANY	<u>RequisitionDetail</u>
When Changed Restrict REQ:KeyReqNo REQ:ReqNo <> RED:ReqNo No Link <> RED:RecordID		When Deleted Cascade RED:KeyReqNo RED:ReqNo <> REQ:ReqNo RED:RecordID <> REQ:RecordID
<u>RequisitionDetail</u>	MANY:ONE	<u>Nominal</u>
When Changed No Action RED:KeyNominal RED:Nominal <> NOM:Code		When Deleted No Action NOM:Nominal NOM:Code <> RED:Nominal
<u>RequisitionDetail</u>	MANY:ONE	<u>Matters</u>
When Changed No Action RED:KeyMatter RED:Matter <> MAT:Code		When Deleted No Action MAT:MatterKey MAT:Code <> RED:Matter
<u>BillHead</u>	ONE:MANY	<u>BillDetail</u>
When Changed Cascade BIH:KeyDraftNo BIH:DraftNo <> BID:DraftNo No Link <> BID:LineNo No Link <> BID:KeyId		When Deleted Cascade BID:KeyChild BID:DraftNo <> BIH:DraftNo BID:LineNo <> BIH:LineNo BID:KeyId <> BIH:KeyId
<u>BillHead</u>	MANY:ONE	<u>Matters</u>
When Changed No Action BIH:KeyMatter BIH:Matter <> MAT:Code BIH:Matter <> No Link BIH:DraftNo <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> BIH:Matter MAT:Matter <> BIH:DraftNo MAT:DraftNo <> BIH:BillNo
<u>STRITEM</u>	ONE:MANY	<u>HISTITEM</u>
When Changed No Action STI:KeyFileNo STI:CODE <> HIS:Client STI:FileNo <> HIS:FileNo No Link <> HIS:DATE		When Deleted No Action HIS:KEYHIST HIS:Client <> STI:CODE HIS:FileNo <> STI:FileNo HIS:DATE <> STI:DATE
<u>STRITEM</u>	ONE:MANY	<u>STFiles</u>
When Changed No Action STI:KeyMatter STI:MATTER <> STF:Code		When Deleted No Action STF:MatterKey STF:Code <> STI:MATTER

<u>STRITEM</u>	ONE:MANY	<u>Contacts</u>
When Changed No Action STI:KeyItem STI:CODE <> CNT:Code		When Deleted No Action CNT:Contacts CNT:Code <> STI:CODE
<u>STRITEM</u>	MANY:ONE	<u>StrLocation</u>
When Changed No Action STI:KeyLocation STI:LOCATION <> SLO:Code		When Deleted No Action SLO:KeyCode SLO:Code <> STI:LOCATION
<u>OWNERS</u>	ONE:MANY	<u>Contacts</u>
When Changed No Action OWN:KeyClient OWN:CLIENT <> CNT:Code		When Deleted No Action CNT:Contacts CNT:Code <> OWN:CLIENT
<u>HISTITEM</u>	MANY:ONE	<u>StrLocation</u>
When Changed No Action HIS:KeyLocation HIS:Location <> SLO:Code		When Deleted No Action SLO:KeyCode SLO:Code <> HIS:Location
<u>Timser</u>	MANY:ONE	<u>HANDLER</u>
When Changed No Action TIM:KeyFeeEarn TIM:FeeEarn <> HAN:Code TIM:FeeEarn <> No Link TIM:Date <> No Link		When Deleted No Action HAN:FeeEarn HAN:Code <> TIM:FeeEarn HAN:FeeEarn <> TIM:Date HAN:Date <> TIM:RecordId
<u>Timser</u>	MANY:ONE	<u>Matters3</u>
When Changed No Action TIM:KeyMatter TIM:Matter <> MAT2:Code TIM:Matter <> No Link TIM:Date <> No Link		When Deleted No Action MAT2:MatterKey MAT2:Code <> TIM:Matter MAT2:Matter <> TIM:Date MAT2:Date <> TIM:RecordId
<u>Timser</u>	MANY:ONE	<u>Matters</u>
When Changed No Action TIM:KeyMatter TIM:Matter <> MAT:Code TIM:Matter <> No Link TIM:Date <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> TIM:Matter MAT:Matter <> TIM:Date MAT:Date <> TIM:RecordId
<u>TimeDayBook</u>	MANY:ONE	<u>Matters3</u>
When Changed No Action TID:KeyMatter TID:Matter <> MAT2:Code TID:Matter <> No Link TID:Date <> No Link		When Deleted No Action MAT2:MatterKey MAT2:Code <> TID:Matter MAT2:Matter <> TID:Date MAT2:Date <> TID:RecordId
<u>TimeDayBook</u>	MANY:ONE	<u>Matters</u>
When Changed No Action TID:KeyMatter TID:Matter <> MAT:Code TID:Matter <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> TID:Matter MAT:Matter <> TID:Date

└ TID:Date <> No Link

└ MAT:Date <> TID:RecordId

TimeDayBook

MANY:ONE

HANDLER

└ When Changed No Action
└ TID:KeyFeeEarn
└ TID:FeeEarn <> HAN:Code
└ TID:FeeEarn <> No Link
└ TID:Date <> No Link

└ When Deleted No Action
└ HAN:FeeEarn
└ HAN:Code <> TID:FeeEarn
└ HAN:FeeEarn <> TID:Date
└ HAN:Date <> TID:RecordId

TimeDayBook

MANY:ONE

TASKS

└ When Changed No Action
└ TID:KeyTask
└ TID:Task <> TAS:Code

└ When Deleted No Action
└ TAS:Tasks
└ TAS:Code <> TID:Task

Gathering

MANY:ONE

Matters

└ When Changed No Action
└ GAT:BDMatter
└ GAT:Matter <> MAT:Code
└ GAT:Matter <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> GAT:Matter
└ MAT:Matter <> GAT:RecordId

RecTComp

MANY:ONE

RecHistory

└ When Changed No Action
└ RCC:KeyBankAc
└ RCC:BankAc <> REH:BankAc
└ RCC:RecNo <> REH:RecNo
└ RCC:RecNo <> No Link
└ RCC:Type <> No Link
└ RCC:Ref <> No Link

└ When Deleted No Action
└ REH:KeyBankAc
└ REH:BankAc <> RCC:BankAc
└ REH:RecNo <> RCC:RecNo
└ REH:RecNo <> RCC:Type
└ REH:Type <> RCC:Ref
└ REH:Ref <> RCC:RecordId

MALFwd

MANY:ONE

Matters

└ When Changed No Action
└ MFW:MatLed
└ MFW:Matter <> MAT:Code
└ MFW:Matter <> No Link
└ MFW:Date <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> MFW:Matter
└ MAT:Matter <> MFW:Date
└ MAT:Date <> MFW:RecordId

RecHistValue

ONE:MANY

RecTrans

└ When Changed No Action
└ REV:KeyBankAc
└ REV:BankAc <> RET:BankAc
└ REV:RecNo <> RET:RecNo
└ No Link <> RET:Type
└ No Link <> RET:Value
└ No Link <> RET:RecordId

└ When Deleted No Action
└ RET:KeyValue
└ RET:BankAc <> REV:BankAc
└ RET:RecNo <> REV:RecNo
└ RET:Type <> REV:Type
└ RET:Value <> REV:Value
└ RET:RecordId <> REV:RecordId

Team

MANY:ONE

Dept

└ When Changed No Action
└ TEA:KeyDept
└ TEA:Dept <> DEP:Code

└ When Deleted No Action
└ DEP:Dept
└ DEP:Code <> TEA:Dept

Team

ONE:MANY

HANDLER

└ When Changed No Action
└ TEA:KeyCode

└ When Deleted No Action
└ HAN:KeyTeam

└ TEA:Code <> HAN:Team
└ No Link <> HAN:Code

└ HAN:Team <> TEA:Code
└ HAN:Code <> TEA:Code

BillFE

MANY:ONE

BillHead

└ When Changed Cascade
└ BIF:KeyMatter
└ BIF:Matter <> BIH:Matter
└ BIF:Draftno <> BIH:DraftNo
└ BIF:BillNo <> BIH:BillNo
└ BIF:BillNo <> No Link

└ When Deleted Cascade
└ BIH:KeyMatter
└ BIH:Matter <> BIF:Matter
└ BIH:DraftNo <> BIF:Draftno
└ BIH:BillNo <> BIF:BillNo
└ BIH:BillNo <> BIF:RecordId

L Action

ONE:MANY

L ActUdf

└ When Changed Cascade
└ ACC:KeyCode
└ ACC:ActionCode <> LAU:ActionCode
└ No Link <> LAU:FilePrefix
└ No Link <> LAU:FieldName

└ When Deleted Cascade
└ LAU:KeyActionCode
└ LAU:ActionCode <> ACC:ActionCode
└ LAU:FilePrefix <> ACC:FilePrefix
└ LAU:FieldName <> ACC:FieldName

L Action

ONE:MANY

L Diary

└ When Changed Cascade
└ ACC:KeyCode
└ ACC:ActionCode <> Dia:ActionCode
└ No Link <> Dia:CaseCode
└ No Link <> Dia:Date
└ No Link <> Dia:ActionId

└ When Deleted Restrict
└ Dia:KeyAction
└ Dia:ActionCode <> ACC:ActionCode
└ Dia:CaseCode <> ACC:CaseCode
└ Dia:Date <> ACC:Date
└ Dia:ActionId <> ACC:ActionId

L Action

ONE:MANY

L ActDocs

└ When Changed Cascade
└ ACC:KeyCode
└ ACC:ActionCode <> Act:Action
└ No Link <> Act:Document

└ When Deleted Restrict
└ Act:KeyAction
└ Act:Action <> ACC:ActionCode
└ Act:Document <> ACC:Document

L Action

ONE:MANY

L NextAct

└ When Changed Cascade
└ ACC:KeyCode
└ ACC:ActionCode <> NEXA:Action
└ No Link <> NEXA:NextAction

└ When Deleted Restrict
└ NEXA:KeyAction
└ NEXA:Action <> ACC:ActionCode
└ NEXA:NextAction <> ACC:NextAction

L CaseClient

MANY:ONE

Contacts

└ When Changed No Action
└ LCL:ClientCode
└ LCL:CIcode <> CNT:Code

└ When Deleted No Action
└ CNT:Contacts
└ CNT:Code <> LCL:CIcode

L CaseCon

MANY:ONE

L NameAddc2

└ When Changed No Action
└ CAN:KeyAssignedContacts
└ CAN:AssignedContact <> NAC2:KeyID
└ CAN:AssignedContact <> No Link
└ CAN:CaseCode <> No Link

└ When Deleted No Action
└ NAC2:KeyKeyID
└ NAC2:KeyID <> CAN:AssignedContact
└ NAC2:AssignedContact <> CAN:CaseCode
└ NAC2:CaseCode <> CAN:NameCode

L CaseCon

MANY:ONE

NamAddA

└ When Changed No Action
└ CAN:KeySolCode

└ When Deleted No Action
└ NAM3:NAKey

└─ CAN:SolCode <> NAM3:Code
└─ CAN:SolCode <> No Link

└─ NAM3:Code <> CAN:SolCode
└─ NAM3:SolCode <> CAN:CaseCode

L CaseCon

MANY:ONE

NamAddB

└─ When Changed No Action
└─ CAN:KeyInsCode
└─ CAN:InsCode <> NAM2:Code
└─ CAN:InsCode <> No Link

└─ When Deleted No Action
└─ NAM2:NAKey
└─ NAM2:Code <> CAN:InsCode
└─ NAM2:InsCode <> CAN:CaseCode

L CaseCon

MANY:ONE

Matters

└─ When Changed Cascade
└─ CAN:KEY_CsCode
└─ CAN:CaseCode <> MAT:Code

└─ When Deleted Restrict
└─ MAT:MatterKey
└─ MAT:Code <> CAN:CaseCode

L CaseCon

MANY:ONE

L CaseMast

└─ When Changed No Action
└─ CAN:KEY_CsCode
└─ CAN:CaseCode <> CSM:CsCode

└─ When Deleted No Action
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> CAN:CaseCode

L CaseMast

ONE:MANY

L DiaryAtt

└─ When Changed Cascade
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> DAT:CaseCode
└─ No Link <> DAT:TrackReference

└─ When Deleted Restrict
└─ DAT:KeyCaseCode
└─ DAT:CaseCode <> CSM:CsCode
└─ DAT:TrackReference <> CSM:TrackReference

L CaseMast

ONE:MANY

L Diary

└─ When Changed Cascade
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> Dia:CaseCode
└─ No Link <> Dia:Date
└─ No Link <> Dia:ActionCode
└─ No Link <> Dia:ActionId

└─ When Deleted Restrict
└─ Dia:KeyCase
└─ Dia:CaseCode <> CSM:CsCode
└─ Dia:Date <> CSM:Date
└─ Dia:ActionCode <> CSM:ActionCode
└─ Dia:ActionId <> CSM:ActionId

L CaseMast

ONE:MANY

L Accounts

└─ When Changed Restrict
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> Acc1:AcCaseCode

└─ When Deleted Restrict
└─ Acc1:KEY_AcCaseCode
└─ Acc1:AcCaseCode <> CSM:CsCode

L CaseMast

ONE:MANY

L CaseVar

└─ When Changed Cascade
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> CAV:CaseCode
└─ No Link <> CAV:UDF:File
└─ No Link <> CAV:UDFName

└─ When Deleted Cascade
└─ CAV:KeyCase
└─ CAV:CaseCode <> CSM:CsCode
└─ CAV:UDF:File <> CSM:UDF:File
└─ CAV:UDFName <> CSM:UDFName

L CaseMast

MANY:ONE

Matters

└─ When Changed No Action
└─ CSM:KEY_CsCode
└─ CSM:CsCode <> MAT:Code

└─ When Deleted No Action
└─ MAT:MatterKey
└─ MAT:Code <> CSM:CsCode

L CaseMast

MANY:ONE

Contacts

└─ When Changed No Action
└─ CSM:CsClientCode
└─ CSM:CsClientCde <> CNT:Code

└─ When Deleted No Action
└─ CNT:Contacts
└─ CNT:Code <> CSM:CsClientCde

<u>L ClientCon</u>	MANY:ONE	<u>L CaseClient</u>
- When Changed No Action - LCN:CIContact - LCN:CIcode <> LCL:CIcode - LCN:CIcode <> No Link		- When Deleted No Action - LCL:ClientCode - LCL:CIcode <> LCN:CIcode - LCL:CIcode <> LCN:CINumContact
<u>L Type</u>	ONE:MANY	<u>L Name Addr</u>
- When Changed Cascade - CTY:PrimaryKey - CTY:Code <> Nam:Type - No Link <> Nam:Code		- When Deleted Restrict - Nam:KeyType - Nam:Type <> CTY:Code - Nam:Code <> CTY:Code
<u>L Type</u>	ONE:MANY	<u>L CaseCon</u>
- When Changed Cascade - CTY:PrimaryKey - CTY:Code <> CAN:ConType - No Link <> CAN:CaseCode		- When Deleted Restrict - CAN:KeyType - CAN:ConType <> CTY:Code - CAN:CaseCode <> CTY:CaseCode
<u>L Type</u>	ONE:MANY	<u>L NAMEType</u>
- When Changed Cascade - CTY:PrimaryKey - CTY:Code <> LNT:TypeCode - No Link <> LNT:NameCode		- When Deleted Restrict - LNT:KeyTypeCode - LNT:TypeCode <> CTY:Code - LNT:NameCode <> CTY:NameCode
<u>L Diary</u>	ONE:MANY	<u>L DiaryAtt2</u>
- When Changed No Action - Dia:KeyOrginalId - Dia:OrginalActionId <> DA2:DiaryID - No Link <> DA2:TrackReference		- When Deleted No Action - DA2:KeyDiaryID - DA2:DiaryID <> Dia:OrginalActionId - DA2:TrackReference <> Dia:TrackReference
<u>L Diary</u>	ONE:MANY	<u>L DiaryDel</u>
- When Changed Cascade - Dia:KeyId - Dia:ActionId <> DEL:ActionId - No Link <> DEL:Handler - No Link <> DEL:AssignNo		- When Deleted Cascade - DEL:KeyActionId - DEL:ActionId <> Dia:ActionId - DEL:Handler <> Dia:Handler - DEL:AssignNo <> Dia:AssignNo
<u>L Diary</u>	MANY:ONE	<u>L Status</u>
- When Changed Cascade - Dia:KeyStatus - Dia:CaseCode <> STA:Code - Dia:CaseCode <> No Link - Dia:Status <> No Link - Dia:Date <> No Link		- When Deleted Restrict - STA:KeyCode - STA:Code <> Dia:CaseCode - STA:CaseCode <> Dia:Status - STA:Status <> Dia:Date - STA:Date <> Dia:ActionId
<u>L Diary</u>	MANY:ONE	<u>Teams</u>
- When Changed Cascade - Dia:KeyTeamCode - Dia:TeamCode <> TEA1:Code - Dia:TeamCode <> No Link - Dia:Status <> No Link - Dia:Date <> No Link		- When Deleted Restrict - TEA1:FeeEarn - TEA1:Code <> Dia:TeamCode - TEA1:TeamCode <> Dia:Status - TEA1:Status <> Dia:Date - TEA1:Date <> Dia:ActionId

<u>L Diary</u>	MANY:ONE	<u>Matters</u>
When Changed Cascade Dia:KeyCase Dia:CaseCode <> MAT:Code Dia:CaseCode <> No Link Dia:Date <> No Link Dia:ActionCode <> No Link		When Deleted Restrict MAT:MatterKey MAT:Code <> Dia:CaseCode MAT:CaseCode <> Dia:Date MAT:Date <> Dia:ActionCode MAT:ActionCode <> Dia:ActionId
<u>L Diary</u>	MANY:ONE	<u>Team</u>
When Changed No Action Dia:KeyTeamCode Dia:TeamCode <> TEA:Code Dia:TeamCode <> No Link Dia:Status <> No Link Dia:Date <> No Link		When Deleted No Action TEA:KeyCode TEA:Code <> Dia:TeamCode TEA:TeamCode <> Dia:Status TEA:Status <> Dia:Date TEA:Date <> Dia:ActionId
<u>L Diary</u>	ONE:MANY	<u>L DiaryAtt</u>
When Changed Cascade Dia:KeyId Dia:ActionId <> DAT:DiaryID No Link <> DAT:TrackReference		When Deleted Restrict DAT:KeyDiaryID DAT:DiaryID <> Dia:ActionId DAT:TrackReference <> Dia:TrackReference
<u>L Documents</u>	ONE:MANY	<u>TagFilePos</u>
When Changed No Action DCC:KeyCode DCC:TrackReference <> TP_:Pos		When Deleted No Action Used as Lookup TP_:TrackReference <> DCC:Code
<u>L Documents</u>	ONE:MANY	<u>L DiaryAtt</u>
When Changed No Action DCC:KeyCode DCC:Code <> DAT:Name No Link <> DAT:CaseCode No Link <> DAT:TrackReference		When Deleted No Action DAT:KeyName DAT:Name <> DCC:Code DAT:CaseCode <> DCC:CaseCode DAT:TrackReference <> DCC:TrackReference
<u>L Documents</u>	ONE:MANY	<u>L UDFDOC</u>
When Changed Cascade DCC:KeyCode DCC:Code <> UDD:Document No Link <> UDD:UDFCode		When Deleted Restrict UDD:KeyDocument UDD:Document <> DCC:Code UDD:UDFCode <> DCC:UDFCode
<u>L Documents</u>	ONE:MANY	<u>L ActDocs</u>
When Changed Cascade DCC:KeyCode DCC:Code <> Act:Document No Link <> Act:Action		When Deleted Restrict Act:KeyDocument Act:Document <> DCC:Code Act:Action <> DCC:Action
<u>L Name Addr</u>	ONE:MANY	<u>AssociateCategoryView</u>
When Changed No Action Nam:NAKey Nam:Code <> ASSV:NAMECODE No Link <> ASSV:TYPECODE		When Deleted No Action ASSV:NameKey ASSV:NAMECODE <> Nam:Code ASSV:TYPECODE <> Nam:TYPECODE

<u>L Name Addr</u>	ONE:MANY	<u>L NameAddc</u>
- When Changed Cascade - Nam:NAKey - Nam:Code <> NAC:NameCode - No Link <> NAC:KeyID		- When Deleted Cascade - NAC:KeyNameCode - NAC:NameCode <> Nam:Code - NAC:KeyID <> Nam:KeyID
<u>L Name Addr</u>	ONE:MANY	<u>L CaseCon</u>
- When Changed No Action - Nam:NAKey - Nam:Code <> CAN:NameCode - No Link <> CAN:ConType - No Link <> CAN:CaseCode		- When Deleted No Action - CAN:KeyNameCode - CAN:NameCode <> Nam:Code - CAN:ConType <> Nam:ConType - CAN:CaseCode <> Nam:CaseCode
<u>L Name Addr</u>	ONE:MANY	<u>L NAMEType</u>
- When Changed Restrict - Nam:NAKey - Nam:Code <> LNT:NameCode - No Link <> LNT:TypeCode		- When Deleted Cascade - LNT:KeyNameCode - LNT:NameCode <> Nam:Code - LNT:TypeCode <> Nam:TypeCode
<u>L WorkType</u>	ONE:MANY	<u>L UDWorkTypes</u>
- When Changed Cascade - Wor:WKTKeyCode - Wor:WKCode <> UDW:UDWKCode - No Link <> UDW:UDUVCCode		- When Deleted Cascade - UDW:KEY_UDWKCode - UDW:UDWKCode <> Wor:WKCode - UDW:UDUVCCode <> Wor:UDUVCCode
<u>L WorkType</u>	ONE:MANY	<u>L Action</u>
- When Changed Cascade - Wor:WKTKeyCode - Wor:WKCode <> ACC:WktCode - No Link <> ACC:ActionCode		- When Deleted Restrict - ACC:KeyWork - ACC:WktCode <> Wor:WKCode - ACC:ActionCode <> Wor:ActionCode
<u>Matters2</u>	ONE:MANY	<u>RecentM</u>
- When Changed No Action - MAT1:MatterKey - MAT1:Code <> RML:Matter		- When Deleted No Action - RML:KeyMatter - RML:Matter <> MAT1:Code
<u>Matters2</u>	MANY:ONE	<u>CCcontacts</u>
- When Changed No Action - MAT1:MatterClient - MAT1:ClientCode <> CON1:Code - MAT1:ClientCode <> No Link		- When Deleted No Action - CON1:Contacts - CON1:Code <> MAT1:ClientCode - CON1:ClientCode <> MAT1:Code
<u>FIETYPE</u>	ONE:MANY	<u>L DiaryAtt</u>
- When Changed No Action - FIT:KeyType - FIT:Type <> DAT:Type		- When Deleted No Action - DAT:KeyType - DAT:Type <> FIT:Type
<u>FIETYPE</u>	ONE:MANY	<u>L Documents</u>
- When Changed No Action - FIT:KeyType - FIT:Type <> DCC:Type - No Link <> DCC:Code		- When Deleted No Action - DCC:KeyType - DCC:Type <> FIT:Type - DCC:Code <> FIT:Code

<u>TMembers</u>	ONE:MANY	<u>TeamMemb</u>
When Changed No Action TME1:FeeEarn TME1:Code <> TME:Handler No Link <> TME:TeamCode		When Deleted No Action TME:KeyHandler TME:Handler <> TME1:Code TME:TeamCode <> TME1:TeamCode
<u>Teams</u>	ONE:MANY	<u>Timser</u>
When Changed No Action TEA1:FeeEarn TEA1:Code <> TIM:Team No Link <> TIM:Matter No Link <> TIM:Date No Link <> TIM:RecordId		When Deleted No Action TIM:KeyTeam TIM:Team <> TEA1:Code TIM:Matter <> TEA1:Matter TIM:Date <> TEA1:Date TIM:RecordId <> TEA1:RecordId
<u>Teams</u>	ONE:MANY	<u>TimeDayBook</u>
When Changed No Action TEA1:FeeEarn TEA1:Code <> TID:Team		When Deleted No Action TID:KeyTeam TID:Team <> TEA1:Code
<u>Teams</u>	ONE:MANY	<u>HANDLER</u>
When Changed No Action TEA1:FeeEarn TEA1:Code <> HAN:Team No Link <> HAN:Code		When Deleted No Action HAN:KeyTeam HAN:Team <> TEA1:Code HAN:Code <> TEA1:Code
<u>BillHea2</u>	MANY:ONE	<u>Matters2</u>
When Changed No Action BIH1:KeyMatter BIH1:Matter <> MAT1:Code BIH1:Matter <> No Link BIH1:DraftNo <> No Link		When Deleted No Action MAT1:MatterKey MAT1:Code <> BIH1:Matter MAT1:Matter <> BIH1:DraftNo MAT1:DraftNo <> BIH1:BillNo
<u>BillHea2</u>	ONE:MANY	<u>BillHead</u>
When Changed No Action BIH1:KeyMatter BIH1:Matter <> BIH:Matter BIH1:DraftNo <> BIH:DraftNo BIH1:BillNo <> BIH:BillNo		When Deleted No Action BIH:KeyMatter BIH:Matter <> BIH1:Matter BIH:DraftNo <> BIH1:DraftNo BIH:BillNo <> BIH1:BillNo
<u>BillHea2</u>	ONE:MANY	<u>BillDetail2</u>
When Changed Cascade BIH1:KeyMatter BIH1:Matter <> BID1:Matter BIH1:DraftNo <> BID1:DraftNo BIH1:BillNo <> BID1:BillNo No Link <> BID1:LineNo		When Deleted Cascade BID1:KeyMatter BID1:Matter <> BIH1:Matter BID1:DraftNo <> BIH1:DraftNo BID1:BillNo <> BIH1:BillNo BID1:LineNo <> BIH1:LineNo
<u>BillHea2</u>	ONE:MANY	<u>BillFE</u>
When Changed No Action BIH1:KeyMatter BIH1:Matter <> BIF:Matter BIH1:DraftNo <> BIF:Draftno		When Deleted No Action BIF:KeyMatter BIF:Matter <> BIH1:Matter BIF:Draftno <> BIH1:DraftNo

└ BIH1:BillNo <> BIF:BillNo
└ No Link <> BIF:RecordId

└ BIF:BillNo <> BIH1:BillNo
└ BIF:RecordId <> BIH1:RecordId

BillHea2

MANY:ONE

Matters

└ When Changed No Action
└ BIH1:KeyMatter
└ BIH1:Matter <> MAT:Code
└ BIH1:Matter <> No Link
└ BIH1:DraftNo <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> BIH1:Matter
└ MAT:Matter <> BIH1:DraftNo
└ MAT:DraftNo <> BIH1:BillNo

contactreg

MANY:ONE

Fee

└ When Changed No Action
└ CTR:Key_FE
└ CTR:FE <> FEE:Code
└ CTR:FE <> No Link

└ When Deleted No Action
└ FEE:Fee
└ FEE:Code <> CTR:FE
└ FEE:FE <> CTR:TempContactRef

L Email

ONE:MANY

L EAttachments

└ When Changed No Action
└ Ema:EmRefKey
└ Ema:EmRef <> EAt:EaEmRef

└ When Deleted No Action
└ EAt:EaRefKey
└ EAt:EaEmRef <> Ema:EmRef

EmailIn

ONE:MANY

EmailInAtt

└ When Changed No Action
└ EMI:EmailID_Key
└ EMI:ElId <> EMIA:EIAId

└ When Deleted No Action
└ EMIA:EIAId_Key
└ EMIA:EIAId <> EMI:ElId

L NextAct

ONE:MANY

L ActionTemp

└ When Changed No Action
└ NEXA:KeyAction
└ NEXA:Action <> ATE:ThisAction
└ NEXA:NextAction <> ATE:NextAction

└ When Deleted No Action
└ ATE:KeyThisAction
└ ATE:ThisAction <> NEXA:Action
└ ATE:NextAction <> NEXA:NextAction

NextActions

ONE:MANY

L ActionTemp

└ When Changed No Action
└ NEX1:KeyCode
└ NEX1:ActionCode <> ATE:NextAction

└ When Deleted No Action
└ ATE:KeyNextAction
└ ATE:NextAction <> NEX1:ActionCode

NextActions

ONE:MANY

L NextAct

└ When Changed Cascade
└ NEX1:KeyCode
└ NEX1:ActionCode <> NEXA:NextAction
└ No Link <> NEXA:Action

└ When Deleted Restrict
└ NEXA:KeyNextAction
└ NEXA:NextAction <> NEX1:ActionCode
└ NEXA:Action <> NEX1:Action

L ActionT

ONE:MANY

L ActionTemp

└ When Changed No Action
└ ATT:KeyCode
└ ATT:Code <> ATE:NextAction

└ When Deleted No Action
└ ATE:KeyNextAction
└ ATE:NextAction <> ATT:Code

L UDF

ONE:MANY

L ActUdf

└ When Changed Cascade
└ UDF:KeyFile
└ UDF:FilePrefix <> LAU:FilePrefix
└ UDF:FieldName <> LAU:FieldName
└ No Link <> LAU:ActionCode

└ When Deleted Cascade
└ LAU:KeyUDF
└ LAU:FilePrefix <> UDF:FilePrefix
└ LAU:FieldName <> UDF:FieldName
└ LAU:ActionCode <> UDF:ActionCode

<u>L UDF</u>	ONE:MANY	<u>L CaseVar</u>
- When Changed Cascade - UDF:KeyFile - UDF:FilePrefix <> CAV:UDF:File - UDF:FieldName <> CAV:UDFName - No Link <> CAV:CaseCode		- When Deleted Restrict - CAV:Key_UDF - CAV:UDF:File <> UDF:FilePrefix - CAV:UDFName <> UDF:FieldName - CAV:CaseCode <> UDF:CaseCode
<u>L UDF</u>	ONE:MANY	<u>L UDWorkTypes</u>
- When Changed Cascade - UDF:KeyFile - UDF:FilePrefix <> UDW:UDFile - UDF:FieldName <> UDW:UDUVCode - No Link <> UDW:UDWKCode - No Link <> UDW:UDSeq		- When Deleted Restrict - UDW:PrimaryKey - UDW:UDFile <> UDF:FilePrefix - UDW:UDUVCode <> UDF:FieldName - UDW:UDWKCode <> UDF:UDWKCode - UDW:UDSeq <> UDF:UDSeq
<u>L UDF</u>	ONE:MANY	<u>L UDFDOC</u>
- When Changed Cascade - UDF:KeyFieldName - UDF:FieldName <> UDD:UDFCode - No Link <> UDD:Document		- When Deleted Cascade - UDD:KeyUDFCode - UDD:UDFCode <> UDF:FieldName - UDD:Document <> UDF:Document
<u>L UDF</u>	ONE:MANY	<u>L UDFList</u>
- When Changed Cascade - UDF:KeyFieldName - UDF:FieldName <> UDL:FieldName - No Link <> UDL:Code		- When Deleted Cascade - UDL:KeyFieldName - UDL:FieldName <> UDF:FieldName - UDL:Code <> UDF:Code
<u>FirstAction</u>	ONE:MANY	<u>L WorkType</u>
- When Changed Cascade - FIR:KeyCode - FIR:ActionCode <> Wor:WKAction		- When Deleted Restrict - Wor:WKAct - Wor:WKAction <> FIR:ActionCode
<u>L Status</u>	ONE:MANY	<u>L Action</u>
- When Changed Cascade - STA:KeyCode - STA:Code <> ACC:Status - No Link <> ACC:ActionCode		- When Deleted Restrict - ACC:KeyStatus - ACC:Status <> STA:Code - ACC:ActionCode <> STA:ActionCode
<u>L DiaryAtt</u>	ONE:MANY	<u>TagFile</u>
- When Changed No Action - DAT:KeyTrackRef - DAT:ActionCode <> TF_:Ptr		- When Deleted No Action - Used as Lookup - TF_:ActionCode <> DAT:TrackReference
<u>L Diary2</u>	MANY:ONE	<u>Matters3</u>
- When Changed No Action - DIA2:KeyCase - DIA2:CaseCode <> MAT2:Code - DIA2:CaseCode <> No Link - DIA2:Date <> No Link - DIA2:ActionCode <> No Link		- When Deleted No Action - MAT2:MatterKey - MAT2:Code <> DIA2:CaseCode - MAT2:CaseCode <> DIA2:Date - MAT2:Date <> DIA2:ActionCode - MAT2:ActionCode <> DIA2:ActionId

<u>L Diary2</u>	MANY:ONE	<u>Matters2</u>
When Changed No Action DIA2:KeyCase DIA2:CaseCode <> MAT1:Code DIA2:CaseCode <> No Link DIA2:Date <> No Link DIA2:ActionCode <> No Link		When Deleted No Action MAT1:MatterKey MAT1:Code <> DIA2:CaseCode MAT1:CaseCode <> DIA2:Date MAT1:Date <> DIA2:ActionCode MAT1:ActionCode <> DIA2:ActionId
<u>L Diary2</u>	MANY:ONE	<u>Matters</u>
When Changed No Action DIA2:KeyCase DIA2:CaseCode <> MAT:Code DIA2:CaseCode <> No Link DIA2:Date <> No Link DIA2:ActionCode <> No Link		When Deleted No Action MAT:MatterKey MAT:Code <> DIA2:CaseCode MAT:CaseCode <> DIA2:Date MAT:Date <> DIA2:ActionCode MAT:ActionCode <> DIA2:ActionId
<u>L ActDTemp</u>	MANY:ONE	<u>L Documents</u>
When Changed No Action ADT:KeyDocumentcode ADT:Documentcode <> DCC:Code ADT:Documentcode <> No Link		When Deleted No Action DCC:KeyCode DCC:Code <> ADT:Documentcode DCC:Documentcode <> ADT:ActionCode
<u>L NAMEType</u>	ONE:MANY	<u>AssociateCategoryView</u>
When Changed No Action LNT:KeyNameCode LNT:NameCode <> ASSV:NAMECODE LNT:TypeCode <> ASSV:TYPECODE		When Deleted No Action ASSV:NameKey ASSV:NAMECODE <> LNT:NameCode ASSV:TYPECODE <> LNT:TypeCode
<u>L NAMEType</u>	ONE:MANY	<u>L CaseCon</u>
When Changed Cascade LNT:KeyNameCode LNT:NameCode <> CAN:NameCode LNT:TypeCode <> CAN:ConType No Link <> CAN:CaseCode		When Deleted Restrict CAN:KeyNameCode CAN:NameCode <> LNT:NameCode CAN:ConType <> LNT:TypeCode CAN:CaseCode <> LNT:CaseCode
<u>L Solicitors</u>	ONE:MANY	<u>L CaseCon</u>
When Changed Cascade SOLN:NAKey SOLN:Code <> CAN:SolCode No Link <> CAN:CaseCode		When Deleted Restrict CAN:KeySolCode CAN:SolCode <> SOLN:Code CAN:CaseCode <> SOLN:CaseCode
<u>L Insurance</u>	ONE:MANY	<u>L CaseCon</u>
When Changed Cascade INS:NAKey INS:Code <> CAN:InsCode No Link <> CAN:CaseCode		When Deleted Restrict CAN:KeyInsCode CAN:InsCode <> INS:Code CAN:CaseCode <> INS:CaseCode
<u>L Casecon2</u>	MANY:ONE	<u>Matters3</u>
When Changed No Action LCN2:CsConKey LCN2:CaseCode <> MAT2:Code LCN2:CaseCode <> No Link		When Deleted No Action MAT2:MatterKey MAT2:Code <> LCN2:CaseCode MAT2:CaseCode <> LCN2:ConType

└ LCN2:ConType <> No Link

└ MAT2:ConType <> LCN2:ConNum

TIMEBAL

MANY:ONE

HANDLER

└ When Changed No Action

└ TIB:KeyFee

└ TIB:Fee <> HAN:Code

└ When Deleted No Action

└ HAN:FeeEarn

└ HAN:Code <> TIB:Fee

FeDiary

ONE:MANY

L DiaryDel

└ When Changed No Action

└ FED:KeyId

└ FED:ActionId <> DEL:ActionId

└ No Link <> DEL:Handler

└ No Link <> DEL:AssignNo

└ When Deleted No Action

└ DEL:KeyActionId

└ DEL:ActionId <> FED:ActionId

└ DEL:Handler <> FED:Handler

└ DEL:AssignNo <> FED:AssignNo

FeDiary

MANY:ONE

Matters3

└ When Changed No Action

└ FED:KeyCase

└ FED:CaseCode <> MAT2:Code

└ FED:CaseCode <> No Link

└ FED:Date <> No Link

└ FED:ActionCode <> No Link

└ When Deleted No Action

└ MAT2:MatterKey

└ MAT2:Code <> FED:CaseCode

└ MAT2:CaseCode <> FED:Date

└ MAT2:Date <> FED:ActionCode

└ MAT2:ActionCode <> FED:ActionId

Matters3

MANY:ONE

Contact3

└ When Changed No Action

└ MAT2:MatterClient

└ MAT2:ClientCode <> C3P:Code

└ MAT2:ClientCode <> No Link

└ When Deleted No Action

└ C3P:Contacts

└ C3P:Code <> MAT2:ClientCode

└ C3P:ClientCode <> MAT2:Code

DiaryAtt2

MANY:ONE

L Diary3

└ When Changed No Action

└ DAT2:KeyDiaryID

└ DAT2:DiaryID <> DIA3:ActionId

└ DAT2:DiaryID <> No Link

└ When Deleted No Action

└ DIA3:KeyId

└ DIA3:ActionId <> DAT2:DiaryID

└ DIA3:DiaryID <> DAT2:TrackReference

XFerList

MANY:ONE

Matters

└ When Changed No Action

└ XFE:KeyMatter

└ XFE:Matter <> MAT:Code

└ XFE:Matter <> No Link

└ When Deleted No Action

└ MAT:MatterKey

└ MAT:Code <> XFE:Matter

└ MAT:Matter <> XFE:BatchNo

CredList

MANY:ONE

Supply

└ When Changed No Action

└ CRE:KeySupplyCode

└ CRE:SupplyCode <> SUP:Code

└ CRE:SupplyCode <> No Link

└ CRE:BatchNo <> No Link

└ When Deleted No Action

└ SUP:Supply

└ SUP:Code <> CRE:SupplyCode

└ SUP:SupplyCode <> CRE:BatchNo

└ SUP:BatchNo <> CRE:RecordId

RBatchH

ONE:MANY

RBatchD

└ When Changed No Action

└ RAH:RBatchH

└ RAH:Date <> RAD:Date

└ RAH:BatchNo <> RAD:BatchNo

└ No Link <> RAD:PRef

└ When Deleted No Action

└ RAD:RBatchH

└ RAD:Date <> RAH:Date

└ RAD:BatchNo <> RAH:BatchNo

└ RAD:PRef <> RAH:PRef

└ No Link <> RAD:RecordId

└ RAD:RecordId <> RAH:RecordId

OutlayXFers

MANY:ONE

Matters

└ When Changed No Action
└ OLX:KeyMatter
└ OLX:Matter <> MAT:Code
└ OLX:Matter <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> OLX:Matter
└ MAT:Matter <> OLX:RecordId

CaseStatsTmp

ONE:MANY

L WorkType

└ When Changed No Action
└ CAS:WkType
└ CAS:WorkType <> Wor:WKCode

└ When Deleted No Action
└ Wor:WKTKeyCode
└ Wor:WKCode <> CAS:WorkType

OutlookIds

MANY:ONE

L Diary

└ When Changed Cascade (Server)
└ OID:KeyActionId
└ OID:ActionId <> Dia:ActionId

└ When Deleted Cascade (Server)
└ Dia:KeyId
└ Dia:ActionId <> OID:ActionId

L DocumentClasses

ONE:MANY

L Documents

└ When Changed Cascade
└ DCL:KeyClassCode
└ DCL:ClassCode <> DCC:DocClass
└ No Link <> DCC:Code

└ When Deleted Restrict
└ DCC:KeyClass
└ DCC:DocClass <> DCL:ClassCode
└ DCC:Code <> DCL:Code

L DiaryClosed

MANY:ONE

Closed

└ When Changed Cascade
└ DIAC:KeyCloseOrder
└ DIAC:CaseCode <> CLM:Code
└ DIAC:FileNum <> CLM:FileNum
└ DIAC:FileNum <> No Link

└ When Deleted Restrict
└ CLM:CMatterKey
└ CLM:Code <> DIAC:CaseCode
└ CLM:FileNum <> DIAC:FileNum
└ CLM:FileNum <> DIAC:Date

L DiaryAttClosed

MANY:ONE

L DiaryClosed

└ When Changed Cascade
└ DATC:KeyDiaryID
└ DATC:DiaryID <> DIAC:ActionId
└ DATC:DiaryID <> No Link

└ When Deleted Restrict
└ DIAC:KeyId
└ DIAC:ActionId <> DATC:DiaryID
└ DIAC:DiaryID <> DATC:TrackReference

L CaseConClosed

MANY:ONE

Closed

└ When Changed Cascade
└ CANC:KEY_CsCode
└ CANC:CaseCode <> CLM:Code
└ CANC:FileNum <> CLM:FileNum

└ When Deleted Restrict
└ CLM:CMatterKey
└ CLM:Code <> CANC:CaseCode
└ CLM:FileNum <> CANC:FileNum

L CaseVarClosed

MANY:ONE

Closed

└ When Changed Cascade
└ CAVC:KeyCaseFileNum
└ CAVC:CaseCode <> CLM:Code
└ CAVC:FileNum <> CLM:FileNum

└ When Deleted Restrict
└ CLM:CMatterKey
└ CLM:Code <> CAVC:CaseCode
└ CLM:FileNum <> CAVC:FileNum

L CaseMastClosed

MANY:ONE

Closed

└ When Changed Cascade
└ CSMC:KEY_CsCode
└ CSMC:CsCode <> CLM:Code
└ CSMC:FileNum <> CLM:FileNum

└ When Deleted Restrict
└ CLM:CMatterKey
└ CLM:Code <> CSMC:CsCode
└ CLM:FileNum <> CSMC:FileNum

<u>E Action</u>	ONE:MANY	<u>E ActDocs</u>
When Changed Cascade EAC:KeyCode EAC:ActionCode <> EAD:Action No Link <> EAD:Document		When Deleted Restrict EAD:KeyAction EAD:Action <> EAC:ActionCode EAD:Document <> EAC:Document
<u>E Action</u>	ONE:MANY	<u>E NextAct</u>
When Changed Cascade EAC:KeyCode EAC:ActionCode <> ENA:Action No Link <> ENA:NextAction		When Deleted Restrict ENA:KeyAction ENA:Action <> EAC:ActionCode ENA:NextAction <> EAC:NextAction
<u>E Documents</u>	ONE:MANY	<u>E ActDocs</u>
When Changed Cascade EDO:KeyCode EDO:Code <> EAD:Document No Link <> EAD:Action		When Deleted Restrict EAD:KeyDocument EAD:Document <> EDO:Code EAD:Action <> EDO:Action
<u>E WorkType</u>	ONE:MANY	<u>E UDWorkTypes</u>
When Changed Cascade EWT:WKTKeyCode EWT:WKCode <> UDW1:UDWKCode No Link <> UDW1:UDUVCCode		When Deleted Restrict UDW1:KEY_UDWKCode UDW1:UDWKCode <> EWT:WKCode UDW1:UDUVCCode <> EWT:UDUVCCode
<u>E WorkType</u>	ONE:MANY	<u>E Action</u>
When Changed Cascade EWT:WKTKeyCode EWT:WKCode <> EAC:WktCode No Link <> EAC:ActionCode		When Deleted Restrict EAC:KeyWork EAC:WktCode <> EWT:WKCode EAC:ActionCode <> EWT:ActionCode
<u>Branch</u>	ONE:MANY	<u>NomBranch</u>
When Changed No Action BRC:KeyBranchCode BRC:BranchCode <> NBR:Branch No Link <> NBR:Code		When Deleted Restrict NBR:BranchCode NBR:Branch <> BRC:BranchCode NBR:Code <> BRC:Code
<u>L DiaryDel</u>	MANY:ONE	<u>Resources</u>
When Changed No Action DEL:KeyHandler DEL:Handler <> RES:Code DEL:Handler <> No Link DEL:Date <> No Link DEL:Time <> No Link		When Deleted No Action RES:FeeEarn RES:Code <> DEL:Handler RES:Handler <> DEL:Date RES:Date <> DEL:Time RES:Time <> DEL:AssignNo
<u>CompBillHead</u>	MANY:ONE	<u>Contacts</u>
When Changed No Action CBH:KEYCLIENT CBH:REQCLIENT <> CNT:Code CBH:REQCLIENT <> No Link		When Deleted No Action CNT:Contacts CNT:Code <> CBH:REQCLIENT CNT:REQCLIENT <> CBH:COMPBILLNO
<u>CompBillHead</u>	ONE:MANY	<u>CompFBD</u>
When Changed Cascade CBH:KEYBILLNO		When Deleted Cascade CFB:KEYCOMPBILL

└ CBH:COMPBILLNO <> CFB:COMPBILLNO
└ No Link <> CFB:MATTER
└ No Link <> CFB:FE

└ CFB:COMPBILLNO <> CBH:COMPBILLNO
└ CFB:MATTER <> CBH:MATTER
└ CFB:FE <> CBH:FE

CompBillHead

ONE:MANY

CompBreakDown

└ When Changed Cascade
└ CBH:KEYBILLNO
└ CBH:COMPBILLNO <> CBB:CompBillNo
└ No Link <> CBB:BatchNo
└ No Link <> CBB:PostingRef

└ When Deleted Cascade
└ CBB:KeyCompBillNo
└ CBB:CompBillNo <> CBH:COMPBILLNO
└ CBB:BatchNo <> CBH:BatchNo
└ CBB:PostingRef <> CBH:PostingRef

CompBillHead

ONE:MANY

CompFees

└ When Changed Cascade
└ CBH:KEYBILLNO
└ CBH:COMPBILLNO <> COF:CompBillNo
└ No Link <> COF:Matter
└ No Link <> COF:Fe

└ When Deleted Cascade
└ COF:KeyBillNo
└ COF:CompBillNo <> CBH:COMPBILLNO
└ COF:Matter <> CBH:Matter
└ COF:Fe <> CBH:Fe

CompBillHead

ONE:MANY

CompBillDetail

└ When Changed Cascade
└ CBH:KEYBILLNO
└ CBH:COMPBILLNO <> CBD:COMPBILLNO
└ No Link <> CBD:RecordId

└ When Deleted Cascade
└ CBD:KEYBILLNO
└ CBD:COMPBILLNO <> CBH:COMPBILLNO
└ CBD:RecordId <> CBH:RecordId

CompBillDetail

MANY:ONE

Matters

└ When Changed No Action
└ CBD:KEYMATTERLINK
└ CBD:MATTER <> MAT:Code
└ CBD:MATTER <> No Link

└ When Deleted No Action
└ MAT:MatterKey
└ MAT:Code <> CBD:MATTER
└ MAT:MATTER <> CBD:COMPBILLNO

CompBillDetail

ONE:MANY

CompFBD

└ When Changed Cascade
└ CBD:KEYMATTER
└ CBD:COMPBILLNO <> CFB:COMPBILLNO
└ CBD:MATTER <> CFB:MATTER
└ No Link <> No Link

└ When Deleted Cascade
└ CFB:KEYCOMPBILL
└ CFB:COMPBILLNO <> CBD:COMPBILLNO
└ CFB:MATTER <> CBD:MATTER
└ CFB:FE <> CBD:RecordId

CompBillDetail

ONE:MANY

CompBreakDown

└ When Changed Cascade
└ CBD:KEYMATTER
└ CBD:COMPBILLNO <> CBB:CompBillNo
└ CBD:MATTER <> CBB:Matter
└ No Link <> No Link

└ When Deleted Cascade
└ CBB:KeyMatter
└ CBB:CompBillNo <> CBD:COMPBILLNO
└ CBB:Matter <> CBD:MATTER
└ CBB:Date <> CBD:RecordId

CompFBD

ONE:MANY

CompFees

└ When Changed Cascade
└ CFB:KEYCOMPBILL
└ CFB:COMPBILLNO <> COF:CompBillNo
└ CFB:MATTER <> COF:Matter
└ CFB:FE <> COF:Fe

└ When Deleted Cascade
└ COF:KeyBillNo
└ COF:CompBillNo <> CFB:COMPBILLNO
└ COF:Matter <> CFB:MATTER
└ COF:Fe <> CFB:FE

<u>L AssHandler</u>	ONE:MANY	<u>L Assignments</u>
- When Changed No Action - ASH:FeeEarn - ASH:Code <> ASI:FnCode - No Link <> ASI:Date - No Link <> ASI:ActionId		- When Deleted No Action - ASI:KeyFeeEaner - ASI:FnCode <> ASH:Code - ASI:Date <> ASH:Date - ASI:ActionId <> ASH:ActionId
<u>Delegates</u>	MANY:ONE	<u>L Diary2</u>
- When Changed No Action - DEL1:KeyActionId - DEL1:ActionId <> DIA2:ActionId - DEL1:ActionId <> No Link - DEL1:Handler <> No Link		- When Deleted No Action - DIA2:KeyId - DIA2:ActionId <> DEL1:ActionId - DIA2:ActionId <> DEL1:Handler - DIA2:Handler <> DEL1:AssignNo
<u>L ActWor</u>	MANY:ONE	<u>L Action</u>
- When Changed Cascade - L_A:KeyAction - L_A:ActionCode <> ACC:ActionCode - L_A:ActionCode <> No Link		- When Deleted Restrict - ACC:KeyCode - ACC:ActionCode <> L_A:ActionCode - ACC:ActionCode <> L_A:WorkType
<u>L ActWor</u>	MANY:ONE	<u>L WorkType</u>
- When Changed Cascade - L_A:KeyWorkType - L_A:WorkType <> Wor:WKCode - L_A:WorkType <> No Link		- When Deleted Restrict - Wor:WKTKeyCode - Wor:WKCode <> L_A:WorkType - Wor:WorkType <> L_A:ActionCode
<u>L POPCAT</u>	ONE:MANY	<u>L POPUPS</u>
- When Changed Cascade - POC:KeyCategory - POC:Category <> POP:Category - No Link <> POP:KeyField		- When Deleted Cascade - POP:KeyCategory - POP:Category <> POC:Category - POP:KeyField <> POC:KeyField
<u>L ChargeArr</u>	ONE:MANY	<u>L ChargeMatrix</u>
- When Changed Cascade - ARR:KeyCode - ARR:Code <> CMA:ArrangementCode - No Link <> CMA:ChargeCode		- When Deleted Restrict - CMA:KeyArrangementCode - CMA:ArrangementCode <> ARR:Code - CMA:ChargeCode <> ARR:ChargeCode
<u>TagSet</u>	ONE:MANY	<u>TagFile</u>
- When Changed Cascade - TS_:UsrTblKey - TS_:Usr <> TF_:Usr - TS_:Tbl <> TF_:Tbl - No Link <> TF_:Ptr		- When Deleted Cascade - TF_:PtrKey - TF_:Usr <> TS_:Usr - TF_:Tbl <> TS_:Tbl - TF_:Ptr <> TS_:Ptr
<u>TagSet</u>	ONE:MANY	<u>TagFilePos</u>
- When Changed Cascade - TS_:UsrTblKey - TS_:Usr <> TP_:Usr - TS_:Tbl <> TP_:Tbl - No Link <> TP_:Val		- When Deleted Cascade - TP_:ValKey - TP_:Usr <> TS_:Usr - TP_:Tbl <> TS_:Tbl - TP_:Val <> TS_:Val

<u>Contacts4</u> When Changed No Action CON4:Contacts CON4:Code <> MAT3:ClientCode No Link <> MAT3:Code	ONE:MANY	<u>Matters4</u> When Deleted No Action MAT3:MatterClient MAT3:ClientCode <> CON4:Code MAT3:Code <> CON4:Code
<u>Contacts5</u> When Changed No Action CON5:Contacts CON5:Code <> MAT5:ClientCode No Link <> MAT5:Code	ONE:MANY	<u>Matters5</u> When Deleted No Action MAT5:MatterClient MAT5:ClientCode <> CON5:Code MAT5:Code <> CON5:Code
<u>SQLContacts</u> When Changed No Action SQLCNT:PK_Contacts SQLCNT:Code <> SQLmat:ClientCode No Link <> SQLmat:Code	ONE:MANY	<u>SQLmatters</u> When Deleted No Action SQLmat:KeyClientMatter SQLmat:ClientCode <> SQLCNT:Code SQLmat:Code <> SQLCNT:Code
<u>L ActionCom</u> When Changed Cascade ACO:KeyActionCommand ACO:ActionCode <> ACC:ActionCode ACO:ActionCode <> No Link	MANY:ONE	<u>L Action</u> When Deleted Cascade ACC:KeyCode ACC:ActionCode <> ACO:ActionCode ACC:ActionCode <> ACO:Order
<u>ActDocs2</u> When Changed No Action ACT2:KeyAction ACT2:Action <> ACT3:ActionCode ACT2:Action <> No Link	MANY:ONE	<u>Action2</u> When Deleted No Action ACT3:KeyCode ACT3:ActionCode <> ACT2:Action ACT3:Action <> ACT2:Document
<u>ActDocs2</u> When Changed No Action ACT2:KeyDocument ACT2:Document <> DCC:Code ACT2:Document <> No Link	MANY:ONE	<u>L Documents</u> When Deleted No Action DCC:KeyCode DCC:Code <> ACT2:Document DCC:Document <> ACT2:Action
<u>NoOutstandingTasks</u> When Changed No Action HANOT:KeyHandler HANOT:HANDLER <> RES:Code	MANY:ONE	<u>Resources</u> When Deleted No Action RES:FeeEarn RES:Code <> HANOT:HANDLER
<u>NoOutstandingTasks</u> When Changed No Action HANOT:KeyHandler HANOT:HANDLER <> HAN:Code	MANY:ONE	<u>HANDLER</u> When Deleted No Action HAN:FeeEarn HAN:Code <> HANOT:HANDLER
<u>NoOverDuePhoneCalls</u> When Changed No Action HANODP:KeyHandler HANODP:HANDLER <> RES:Code	MANY:ONE	<u>Resources</u> When Deleted No Action RES:FeeEarn RES:Code <> HANODP:HANDLER
<u>NoOverDuePhoneCalls</u> When Changed No Action HANODP:KeyHandler	MANY:ONE	<u>HANDLER</u> When Deleted No Action HAN:FeeEarn

└ HANODP:HANDLER <> HAN:Code

└ HAN:Code <> HANODP:HANDLER

NoOverDueTasks

MANY:ONE

Resources

└ When Changed No Action

└ HANODT:KeyHandler

└ HANODT:HANDLER <> RES:Code

└ When Deleted No Action

└ RES:FeeEarn

└ RES:Code <> HANODT:HANDLER

NoOverDueTasks

MANY:ONE

HANDLER

└ When Changed No Action

└ HANODT:KeyHandler

└ HANODT:HANDLER <> HAN:Code

└ When Deleted No Action

└ HAN:FeeEarn

└ HAN:Code <> HANODT:HANDLER

FileTree

ONE:MANY

FileTreeChild

└ When Changed No Action

└ FITD:KeyParentID

└ FITD:ParentID <> FILDC:ParentID

└ When Deleted No Action

└ FILDC:KeyParentID

└ FILDC:ParentID <> FITD:ParentID

ClientDiary

ONE:MANY

DiaryAtt2

└ When Changed No Action

└ CDIA:KeyActionId

└ CDIA:ACTIONID <> DAT2:DiaryID

└ No Link <> DAT2:TrackReference

└ When Deleted No Action

└ DAT2:KeyDiaryID

└ DAT2:DiaryID <> CDIA:ACTIONID

└ DAT2:TrackReference <> CDIA:TrackReference

ClientDiary

MANY:ONE

Matters3

└ When Changed No Action

└ CDIA:KeyCaseCode

└ CDIA:CASECODE <> MAT2:Code

└ CDIA:CASECODE <> No Link

└ When Deleted No Action

└ MAT2:MatterKey

└ MAT2:Code <> CDIA:CASECODE

└ MAT2:CASECODE <> CDIA:ACTIONID

ClientDiary

MANY:ONE

Contacts

└ When Changed No Action

└ CDIA:KeyClient

└ CDIA:ClientCode <> CNT:Code

└ CDIA:ClientCode <> No Link

└ CDIA:DATE <> No Link

└ CDIA:CASECODE <> No Link

└ When Deleted No Action

└ CNT:Contacts

└ CNT:Code <> CDIA:ClientCode

└ CNT:ClientCode <> CDIA:DATE

└ CNT:DATE <> CDIA:CASECODE

└ CNT:CASECODE <> CDIA:ACTIONID

TemplateAssociates

MANY:ONE

L WorkType

└ When Changed No Action

└ WAC:PK_TemplateAssociates

└ WAC:WorkType <> Wor:WKCode

└ WAC:WorkType <> No Link

└ When Deleted No Action

└ Wor:WKTKeyCode

└ Wor:WKCode <> WAC:WorkType

└ Wor:WorkType <> WAC:AssociateType

SQLClosed

MANY:ONE

SQLContacts

└ When Changed No Action

└ SQLCLO:CMatterClient

└ SQLCLO:CLIENTCODE <> SQLCNT:Code

└ When Deleted No Action

└ SQLCNT:PK_Contacts

└ SQLCNT:Code <> SQLCLO:CLIENTCODE

CRGroups

ONE:MANY

CRCReportGroups

└ When Changed Cascade

└ CRG:KeyGroupName

└ CRG:GroupName <> CRCG:ReportGroup

└ No Link <> CRCG:ReportID

└ When Deleted Restrict

└ CRCG:KeyReportGroup

└ CRCG:ReportGroup <> CRG:GroupName

└ CRCG:ReportID <> CRG:ReportID

<u>CRParameter</u> When Changed Cascade CRPA:KeyReportId CRPA:ReportId <> CRP:ReportId CRPA:ReportId <> No Link	MANY:ONE	<u>CRReports</u> When Deleted Cascade CRP:KeyReportID CRP:ReportID <> CRPA:ReportId CRP:ReportId <> CRPA:ParamId
<u>CRReports</u> When Changed Cascade CRP:KeyReportID CRP:ReportID <> CRU:ReportId No Link <> CRU:UserName	ONE:MANY	<u>CRUser</u> When Deleted Cascade CRU:KeyReportId CRU:ReportId <> CRP:ReportID CRU:UserName <> CRP:UserName
<u>CRReports</u> When Changed Cascade CRP:KeyReportID CRP:ReportID <> CRCG:ReportID No Link <> CRCG:ReportGroup	ONE:MANY	<u>CRCReportGroups</u> When Deleted Cascade CRCG:KeyReportID CRCG:ReportID <> CRP:ReportID CRCG:ReportGroup <> CRP:ReportGroup
<u>CaseDocuments</u> When Changed No Action CAD:KeyCaseOrder CAD:MatterCode <> MAT:Code CAD:MatterCode <> No Link	MANY:ONE	<u>Matters</u> When Deleted No Action MAT:MatterKey MAT:Code <> CAD:MatterCode MAT:MatterCode <> CAD:TRACKREFERENCE
<u>CaseDocuments</u> When Changed No Action CAD:KeyDiaryID CAD:DIARYID <> Dia:ActionId CAD:DIARYID <> No Link	MANY:ONE	<u>L Diary</u> When Deleted No Action Dia:KeyId Dia:ActionId <> CAD:DIARYID Dia:DIARYID <> CAD:TRACKREFERENCE

Virtual Relations

This relation will NOT generate any code